



# TYPICAL HOUSE CONNECTION/ABANDONMENT DETAIL

(JANUARY 2012)



PLAN VIEW



PROFILE VIEW

**\*NOTES:**

- 1.) THE CONTRACTOR SHALL CONNECT TO THE FIRST GOOD STRUCTURALLY SOUND SECTION OF PIPE ON THE EXISTING SERVICE LATERAL AS DETERMINED IN THE FIELD DURING CONSTRUCTION.
- 2.) VENTS AND CLEAN OUTS MUST BE INSTALLED IN LAWN AREAS, NOT IN SIDEWALK OR DRIVEWAY AREAS, PREFERABLY BETWEEN THE CURB OR EDGE OF PAVEMENT AND THE SIDEWALK.

ERIE COUNTY  
DEPT. OF ENVIRONMENT & PLANNING  
DIVISION OF SEWERAGE MANAGEMENT

|                    |   |
|--------------------|---|
| Rev. 1<br>12/9/96  | ADDED *NOTE, LATERAL CONNECTION                     |
| Rev. 2<br>12/18/00 | ADDED NOTE 2 IN REGARDS TO LOCATION OF VENTS & C.O. |
| File: d-34         | Date: 7/19/91                                       |

STD.DETAIL

34