



**COUNTY OF ERIE  
DIVISION OF PURCHASE  
MEMORANDUM**

**To:** All Using Departments

**From:** Jamie Kucewicz, Buyer

**Date:** May 13, 2021

**Subject:** SEPTIC TANK PUMPING

**Bid No.:** 221103-002

**Effective Dates:** May 1, 2021 through April 30, 2022

**Vendor #:** 111388

**Vendor:** MODERN DISPOSAL SERVICES, INC  
4746 Model City Road  
Model City, NY 14107

**Telephone:** 800-330-7107

**Pricing:** per attached document



# COUNTY OF ERIE

MARK C. POLONCARZ  
COUNTY EXECUTIVE  
DIVISION OF PURCHASE  
INVITATION TO BID

Bids, as stated below, will be received and publicly opened by the Division of Purchase in accordance with the attached specifications. FAX bids are unacceptable. Bids must be submitted in a sealed envelope to:

County of Erie  
Division of Purchase  
Attention: JAMES D. KUCEWICZ, BUYER (716) 858-6336  
95 Franklin Street, Room 1254  
Buffalo, New York 14202-3967

**NOTE:** Lower left-hand corner of envelope **MUST** indicate the following:

BID NUMBER: 221103-002

OPENING DATE: MAY 5, 2021 TIME: 11:00AM

FOR: SEPTIC TANK PUMPING

NAME OF BIDDER: Modern Disposal Services, Inc

If you are submitting other Invitations to Bid, each bid must be enclosed in a separate envelope.

Following EXHIBITS are attached to and made a part of the bid specifications, and part of any agreement entered into pursuant to this Invitation to Bid:

- EXHIBIT "A" - Assignment of Public Contracts
- EXHIBIT "B" - Purchases by Other Local Governments or Special Districts
- EXHIBIT "C" - Construction/Reconstruction Contracts
- EXHIBIT "D" - Bid Bond (Formal Bid)
- EXHIBIT "E" - Bid Bond (Informal Bid)
- EXHIBIT "EP" - Equal Pay Certification
- EXHIBIT "F" - Standard Agreement
- EXHIBIT "G" - Non-Collusive Bidding Certification
- EXHIBIT "H" - MBE/WBE Commitment
- EXHIBIT "IC" - Insurance CLASSIFICATION "A"
- EXHIBIT "P" & EXHIBIT "PBI" - Performance Bond
- EXHIBIT "Q" - Confined Space Program Certification
- EXHIBIT "PW" - NYS Prevailing Wage
- EXHIBIT "V" - Vendor Federal Compliance Certification

**County of Erie**  
**DIVISION OF PURCHASE**  
**BID SPECIFICATIONS**  
**BID NO. 221103-002**

Ship to: County of Erie  
 Attention:  
 Address:

Ship Via: CW  
 Date Required at Destination: ASAP

| ITEM NO. | QUANTITY | UM | CATALOG NO./DESCRIPTION  | UNIT PRICE      | TOTAL PRICE |
|----------|----------|----|--|-----------------|-------------|
|          |          |    | Vendor to provide pump out of septic tanks   |                 |             |
|          |          |    | at various Erie County locations.  |                 |             |
|          |          |    | Prices to be good from May 1, 2021 through April 30, 2022  |                 |             |
|          |          |    | Attached sheets list Parks Department locations.   |                 |             |
|          |          |    | Prices to be good for any County of Erie location, however.  |                 |             |
|          |          |    |  |                 |             |
| 1        |          |    | Price per service visit  | <u>\$269.00</u> |             |
| 1(a)     |          |    | Price per site visit for emergency service<br>(weekend and after business hours)                                   | <u>\$369.00</u> |             |
| 2        |          |    | Price per gallon during normal business hours (8am-5pm)  | <u>\$.20</u>    |             |
|          |          |    |  |                 |             |
| 3        |          |    | Price per gallon for emergency service (weekends and after<br>business hours)                                      | <u>\$.30</u>    |             |
|          |          |    |  |                 |             |
|          |          |    | ** Bid award will be based on cost of 30 service visits and 50,000 gallons<br>pumped during normal business hours. |                 |             |
|          |          |    |  |                 |             |

**NOTE:** Bid results cannot be given over the phone. All requests for bid results should be submitted in writing or faxed to:

**ERIE COUNTY DIVISION OF PURCHASE**  
 Freedom of Information Officer  
 95 Franklin Street, Rm. 1254  
 Buffalo, NY 14202  
 FAX #: 716/858-6465

**NAME OF BIDDER** Modern Disposal Services, Inc

(Rev. 9/95)

ERIE COUNTY OFFICE BUILDING, 95 FRANKLIN STREET, BUFFALO, NEW YORK 14202 (716) 858-6336



### Chestnut Ridge Park

| Building/ Comfort Station Name or Number | Est. last date pumped out | Next Year to be Pumped Out | Location In Park                               | Comments (Maps?, Issues, Specifics?) |
|--|---------------------------|----------------------------|--|--------------------------------------|
| Casino                                   | Oct-14                    | 2021                       | Bottom of the sled hill                        | 6000 gal tank. Have map              |
| Office/Shop                              | Oct-16                    | 2022                       | Behind shop outside of bathroom                | 1000 gal tank. Have map              |
| Mechanic Shop                            | Unknown                   | 2021                       | Unknown  |                                      |
| Mackinnon                                | Est. 2011                 | 2021                       | Behind building                                | No map                               |
| Martin                                   | Sep-16                    | 2022                       | NW end of building facing Rt. 277              | Est. 2000 gal. Have map              |
| Commissioner's Cabin                     | 2018                      | 2024                       | Parking lot side directly right of entry door  | 1000 gal.                            |
| Ranger House                             | Est. 2010                 | Jul-22                     | Behind house to the left of the concrete porch | 1000 gal.                            |
| RR 1                                     | Unknown                   | 2021                       | Men's room side towards shelter 2              | Est 3000 gal                         |
| RR 2                                     | Unknown                   | 2021                       | Shelter 5/6                                    | Est 3000 gal                         |
| RR 3                                     | Unknown                   | 2021                       | Shelter 8                                      | Est. 3000 gal                        |
| RR 4                                     | Unknown                   | 2021                       | Fire tower                                     | Est. 3000 gal                        |
| RR 5                                     | Est. 2016                 | 2022                       | By shelter 12, 13                              | Est. 1000 gal                        |
| RR 6                                     | 2017                      | 2023                       | Ramp bathroom. Tank on the right of building   | 3000 gal. Have map                   |
| RR 7                                     |                           | 2021                       | Newton. Tank directly behind RR                | 3000 gal have map. Pumped in 2016    |
| RR 8                                     | Unknown                   | 2021                       | Y bathroom after iron bridge                   | Est. 3000 gal                        |
| RR 9                                     | Unknown                   | 2021                       | Past shelter 25                                | Est. 3000 gal                        |
| RR 10                                    | Unknown                   | 2021                       | By shelter 28                                  | Est. 3000 gal                        |
| RR 11                                    | 2018                      | 2024                       | By shelter 31. tank directly behind bathroom   | 3000 gal                             |
| RR 12                                    | Unknown                   | 2021                       | By shelter 37                                  | Est. 3000 gal                        |
| RR 13                                    | Unknown                   | 2021                       | By shelter 38                                  | Est. 3000 gal                        |
|  |                           |                            |  |                                      |
|  |                           |                            |  |                                      |
|  |                           |                            |  |                                      |
|  |                           |                            |  |                                      |

**Ellicott Creek Park**

| Building/ Comfort Station<br>Name or Number | Est. last date pumped out | Next Year to be<br>Pumped Out | Location In Park                                     | Comments<br>(Maps?, Issues, Specifics?) |
|---|---------------------------|-------------------------------|--|---|
| Dog Island Bathroom                         | Fall 2018                 | 2023                          | On Island at Creekside and Old<br>Niagara Falls Blvd |   |
|   |                           |                               |  |   |
|   |                           |                               |  |   |
|   |                           |                               |  |   |
|   |                           |                               |  |   |
|   |                           |                               |  |   |



### Emery Park

| Building/ Comfort Station<br>Name or Number | Est. last date pumped out | Next Year to be<br>Pumped Out | Location In Park                    | Comments<br>(Maps?, Issues, Specifics?) |
|---|---------------------------|-------------------------------|-------------------------------------|---|
| Fieldhouse                                  | Unknown                   | 2021                          | Behind Shop near Playground         | 1000 gal                                |
| Aurora Bathroom                             | Unknown                   | 2021                          | By Shelter 3                        | 500 gal                                 |
| Million Dollar Bathroom                     | 2018                      | 2022                          | By Main Entrance                    | 1000 gal                                |
| Playground Bathroom                         | Unknown                   | 2021                          | By Shelter 12                       | 2 - 500 gal tanks                       |
| Horrigan's Circle Bathroom                  | Unknown                   | 2021                          | Top of Horigans Circle              | 500 gal                                 |
| Stoehers Lodge                              | 2017                      | 2022                          | Tank on Right Side towards Woodline | 800 gal                                 |
| Richardson Cottage                          | 2016                      | 2022                          | Tank in Center Island               | 500 gal                                 |
| Ski Lodge                                   | 2018                      | 2022                          | Tank towards Parking Lot            | 2000 gal tank                           |
| Maintenance Shop                            | Unknown                   | 2021                          | Next to Tennis Courts               | 500 gal                                 |
| Paint Shop                                  | 2019                      | 2023                          | Behind Maintenance Shop             | 500 gal                                 |
| Fieldhouse Bathroom                         | 2018                      | 2022                          | Next to Fieldhouse                  | Have map. 1000 gal                      |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |
|   |                           |                               |                                     |   |





